Genome

Contents
Volume 48, 2005

Genome

Sommaire
Volume 48, 2005

February / Février

ARTICLES / ARTICLES

S.R. Milla, T.G. Isleib, and H.T. Stalker Taxonomic relationships among *Arachis* sect. *Arachis* species as revealed by AFLP markers 1

L.D. Chaves, J.A. Rowe, and K.M. Reed Survey of a cDNA library from the turkey (*Meleagris gallopavo*) 12

F. Robles, R. de la Herrán, A. Ludwig, C.R. Rejón, M.R. Rejón, and M.A. Garrido-Ramos Genomic organization and evolution of the 5S ribosomal DNA in the ancient fish sturgeon 18

L. Kong, J.M. Anderson, and H.W. Ohm Induction of wheat defense and stress-related genes in response to *Fusarium graminearum* 29

A.M. Casas, S. Yahiaoui, F. Ciudad, and E. Igartua Distribution of MWG699 polymorphism in Spanish European barleys 41

J.B. Stewart and A.T. Beckenbach Insect mitochondrial genomics: the complete mitochondrial genome sequence of the meadow spittlebug *Philaenus spumarius* (Hemiptera: Auchenorrhyncha: Cercopoidae) 46

T. Sukhotu, O. Kamijima, and K. Hosaka Genetic diversity of the Andean tetraploid cultivated potato (*Solanum tuberosum* L. subsp. *andigena* Hawkes) evaluated by chloroplast and nuclear DNA markers 55

K. Suenaga, M. Khairallah, H.M. William, and D.A. Hoisington A new intervarietal linkage map and its application for quantitative trait locus analysis of "gigas" features in bread wheat 65

J.T. Patterson, S.R. Larson, and Paul G. Johnson Genome relationships in polyploid *Poa pratensis* and other *Poa* species inferred from phylogenetic analysis of nuclear and chloroplast DNA sequences 76

F.P. Han, G. Fedak, T. Ouellet, H. Dan, and D.J. Somers Mapping of genes expressed in *Fusarium graminearum*-infected heads of wheat cultivar 'Frontana' 88

A. Navabi, J.P. Tewari, R.P. Singh, B. McCallum, A. Laroche, and K.G. Briggs Inheritance and QTL analysis of durable resistance to stripe and leaf rusts in an Australian cultivar, *Triticum aestivum* 'Cook' 97

J.M. Soriano, C. Romero, S. Vilanova, G. Llácer, and M.L. Badenes Genetic diversity of loquat germplasm (*Eriobotrya japonica* (Thunb) Lindl) assessed by SSR markers 108

S. Taketa, T. Awayama, M. Ichii, M. Sunakawa, T. Kawahara, and K. Murai Molecular cytogenetic identification of nullisomy 5B induced homoeologous recombination between wheat chromosome 5D and barley chromosome 5H 115

K. Triwitayakorn, V.N. Njiti, M.J. Iqbal, S. Yaegashi, C. Town, and D.A. Lightfoot Genomic analysis of a region encompassing *QRfs1* and *QRfs2*: genes that underlie soybean resistance to sudden death syndrome 125

S. Ciolfi, T. de Filippis, C. Torti, A.R. Malacrida, and R. Dallai Molecular characterization and chromosomal localization of female-specific genes from the Mediterranean fruit fly *Ceratitis capitata* (Diptera: Tephritidae) 139

H. Golczyk, R. Hasterok, and A.J. Joachimiak FISH-aimed karyotyping and characterization of Renner complexes in permanent heterozygote *Rhoeo spathacea* 145

M.R. Ferrari, E.J. Greizerstein, H.A. Paccapelo, C.A. Naranjo, A. Cuadrado, N. Jouve, and L. Poggio The genomic composition of Tricepiro, a synthetic forage crop 154

R. Gibbons and A. Dugaiczyk Phylogenetic roots of Alu-mediated rearrangements leading to cancer 160

A. Castilho, M. Cunha, A.R. Afonso, L. Morais-Cecílio, P.S. Fevereiro, and W. Viegas Genomic characterization and physical mapping of two fucosyltransferase genes in *Medicago truncatula* 168

NOTE / NOTE

K. Bouilly, A. Leitão, R. Chaves, H. Guedes-Pinto, P. Boudry, and S. Lapègue Endonuclease banding reveals that atrazine-induced aneuploidy resembles spontaneous chromosome loss in *Crassostrea gigas* 177

Instructions to Authors I-1

Recommandations aux auteurs R-1

© 2005 NRC Canada

April / Avril

ARTICLES / ARTICLES

A. Kathrin Hett and A. Ludwig SRY-related (*Sox*) genes in the genome of European Atlantic sturgeon (*Acipenser sturio*) **181**

Z. Yang, J. Gilbert, G. Fedak, and D.J. Somers Genetic characterization of QTL associated with resistance to Fusarium head blight in a doubled-haploid spring wheat population **187**

J. Hattori, T. Ouellet, and N.A. Tinker Wheat EST sequence assembly facilitates comparison of gene contents among plant species and discovery of novel genes **197**

K. Meksem, J. Shultz, F. Tebbji, A. Jamai, J. Henrich, H. Kranz, M. Arenz, T. Schlueter, H. Ishihara, L.N. Jyothi, H.-B. Zhang, and D.A. Lightfoot A bacterial artificial chromosome based physical map of the *Ustilago maydis* genome **207**

A. Acquadro, E. Portis, D. Lee, P. Donini, and S. Lanteri Development and characterization of microsatellite markers in *Cynara cardunculus* L. **217**

M. Kellett and S.W. McKechnie A cluster of diagnostic Hsp68 amino acid sites that are identified in *Drosophila* from the *melanogaster* species group are concentrated around β-sheet residues involved with substrate binding **226**

V.V. Velikodvorskaia, G.T. Lyozin, M.E. Feder, and M.B. Evgen'ev Unusual arrangement of the *hsp68* locus in the *virilis* species group of *Drosophila* implicates evolutionary loss of an *hsp68* gene **234**

S. Chaudhry, N.S. Gupta, and J.S. Chhilar Salivary polytene chromosome mapping of *Anopheles* (*Cellia*) *subpictus* Grassi (Culicidae: Diptera) **241**

A. Martínez-Lage, F. Rodríguez-Fariña, A. González-Tizón, and J. Méndez Origin and evolution of *Mytilus* mussel satellite DNAs **247**

B. Tar'an, C. Zhang, T. Warkentin, A. Tullu, and A. Vandenberg Genetic diversity among varieties and wild species accessions of pea (*Pisum sativum* L.) based on molecular markers, and morphological and physiological characters **257**

S. Morand and R.E. Ricklefs Genome size is not related to life-history traits in primates **273**

S. Gidner, B.-L. Lennefors, N.-O. Nilsson, J. Bensefelt, E. Johansson, U. Gyllenspetz, and T. Kraft QTL mapping of BNYVV resistance from the WB41 source in sugar beet **279**

M.I. Pigozzi and A.J. Solari Meiotic recombination in the ZW pair of a tinamid bird shows a differential pattern compared with neognaths **286**

M.A. Huntley, S. Mahmood, and G.B. Golding Simple sequence in brain and nervous system specific proteins **291**

K.K. Nkongolo, P. Michael, and T. Demers Application of ISSR, RAPD, and cytological markers to the certification of *Picea mariana, P. glauca*, and *P. engelmannii* trees, and their putative hybrids **302**

Z.T. Li and D.J. Gray Isolation by improved thermal asymmetric interlaced PCR and characterization of a seed-specific 2S albumin gene and its promoter from grape (*Vitis vinifera* L.) **312**

Z. Gao, J. Jayaraj, S. Muthukrishnan, L. Claflin, and G.H. Liang Efficient genetic transformation of *Sorghum* using a visual screening marker **321**

M. Xu and R.G. Palmer Genetic analysis and molecular mapping of a pale flower allele at the *W4* locus in soybean **334**

NOTES / NOTES

H.B.M. Ali, M.A. Lysak, and I. Schubert Chromosomal localization of rDNA in the Brassicaceae **341**

A. Efrati, Y. Eyal, and I. Paran Molecular mapping of the *chlorophyll retainer* (*cl*) mutation in pepper (*Capsicum* spp.) and screening for candidate genes using tomato ESTs homologous to structural genes of the chlorophyll catabolism pathway **347**

D.J. Turner and T.A. Brown Abridged 5S rDNA units in sea beet (*Beta vulgaris* subsp. *maritima*) **352**

June / Juin

ARTICLES / ARTICLES

S. Nageswara Rao, B. Surendra Nath, and B. Saratchandra Characterization and phylogenetic relationships among microsporidia infecting silkworm, *Bombyx mori*, using inter simple sequence repeat (ISSR) and small subunit rRNA (SSU-rRNA) sequence analysis **355**

Hiroyoshi Iwata, Kenta Imon, Yoshihiko Tsumura, and Ryo Ohsawa Genetic diversity among Japanese indigenous common buckwheat (*Fagopyrum esculentum*) cultivars as determined from amplified fragment length polymorphism and simple sequence repeat markers and quantitative agronomic traits **367**

Xianliang Song, Kai Wang, Wangzhen Guo, Jun Zhang, and Tianzhen Zhang A comparison of genetic maps constructed from haploid and BC_1 mapping populations from the same crossing between *Gossypium hirsutum* L. and *Gossypium barbadense* L. **378**

© 2005 NRC Canada

C.L. McIntyre, R.E. Casu, J. Drenth, D. Knight, V.A. Whan, B.J. Croft, D.R. Jordan, and J.M. Manners Resistance gene analogues in sugarcane and sorghum and their association with quantitative trait loci for rust resistance **391**

Nehir Özdemir and Sylvie Cloutier Expression analysis and physical mapping of low-molecular-weight glutenin loci in hexaploid wheat (*Triticum aestivum* L.) **401**

Hikmet Budak, Robert C. Shearman, and Ismail Dweikat Evolution of *Buchloë dactyloides* based on cloning and sequencing of *matK*, *rbcL*, and *cob* genes from plastid and mitochondrial genomes **411**

Kerry A. Sokol and Claire G. Williams Evolution of a triplet repeat in a conifer **417**

Ruth Freire, Ana Insua, and Josefina Méndez *Cerastoderma glaucum* 5S ribosomal DNA: characterization of the repeat unit, divergence with respect to *Cerastoderma edule*, and PCR–RFLPs for the identification of both cockles **427**

Kerri B. McIntosh and Peta C. Bonham-Smith The two ribosomal protein *L23A* genes are differentially transcribed in *Arabidopsis thaliana* **443**

Ju Kyong Lee, Soon-Jae Kwon, Kyong-Cheul Park, and Nam-Soo Kim *Isaac*-CACTA transposons: new genetic markers in maize and sorghum **455**

Francis C. Yeh and Xin-Sheng Hu Genetic structure and migration from mainland to island populations in *Abies procera* Rehd **461**

D. Herrmann, B. Boller, F. Widmer, and R. Kölliker Optimization of bulked AFLP analysis and its application for exploring diversity of natural and cultivated populations of red clover **474**

Yoshihiko Tomimura, Muneo Matsuda, and Yoshiko N. Tobari Chromosomal phylogeny and geographical divergence in the *Drosophila bipectinata* complex **487**

Rongrong Feng, Xiaoying Tang, Angela Becker, Anja Berger, Jing Ye, Anna Akhmanova, and Wolfgang Hennig Regulation of the expression of histone H3.3 by differential polyadenylation **503**

A. Ricroch, R. Yockteng, S.C. Brown, and S. Nadot Evolution of genome size across some cultivated *Allium* species **511**

M. Liakat Ali, Jeff H. Taylor, Liu Jie, Genlou Sun, Manilal William, Ken J. Kasha, Lana M. Reid, and K. Peter Pauls Molecular mapping of QTLs for resistance to *Gibberella* ear rot, in corn, caused by *Fusarium graminearum* **521**

Dal-Hoe Koo, Hae-Woon Choi, Jeongki Cho, Yoonkang Hur, and Jae-Wook Bang A high-resolution karyotype of cucumber (*Cucumis sativus* L. 'Winter Long') revealed by C-banding, pachytene analysis, and RAPD-aided fluorescence in situ hybridization **534**

Anne-Marie Tanguy, Olivier Coriton, Paulette Abélard, Françoise Dedryver, and Joseph Jahier Structure of *Aegilops ventricosa* chromosome $6N^{v}$, the donor of wheat genes *Yr17*, *Lr37*, *Sr38*, and *Cre5* **541**

Lester W. Young, Rebecca H. Cross, S. Ashley Byun-McKay, Ron W. Wilen, and Peta C. Bonham-Smith A high- and low-temperature inducible *Arabidopsis thaliana HSP101* promoter located in a nonautonomous *Mutator*-like element **547**

Mona Abirached-Darmency, Emilce Prado-Vivant, Liudmila Chelysheva, and Thomas Pouthier Variation in rDNA locus number and position among legume species and detection of 2 linked rDNA loci in the model *Medicago truncatula* by FISH **556**

Maeli Melotto, Claudia B. Monteiro-Vitorello, Adriano G. Bruschi, and Luis E.A. Camargo Comparative bioinformatic analysis of genes expressed in common bean (*Phaseolus vulgaris* L.) seedlings **562**

August / Août

ARTICLES / ARTICLES

K.A. Fitzpatrick, D.A. Sinclair, S.R. Schulze, M. Syrzycka, and B.M. Honda A genetic and molecular profile of third chromosome centric heterochromatin in *Drosophila melanogaster* **571**

Zhendong Zhu, Ronghua Zhou, Xiuying Kong, Yuchen Dong, and Jizeng Jia Microsatellite markers linked to 2 powdery mildew resistance genes introgressed from *Triticum carthlicum* accession PS5 into common wheat **585**

Lili Qi, Bernd Friebe, and Bikram S. Gill Origin, structure, and behavior of a highly rearranged deletion chromosome 1BS-4 in wheat **591**

Willem Rensink, Amy Hart, Jia Liu, Shu Ouyang, Victoria Zismann, and C. Robin Buell Analyzing the potato abiotic stress transcriptome using expressed sequence tags **598**

Hajime Watanabe, Norihisa Tatarazako, Shigeto Oda, Hiroyo Nishide, Ikuo Uchiyama, Masatoshi Morita, and Taisen Iguchi Analysis of expressed sequence tags of the water flea *Daphnia magna* **606**

Bernard R. Baum, Douglas A. Johnson, and Grant L. Bailey Ancient differentiation of the H and I haplomes in diploid *Hordeum* species based on 5S rDNA **610**

M. Pekkinen, S. Varvio, K.K.M. Kulju, H. Kärkkäinen, S. Smolander, A. Viherä-Aarnio, V. Koski, and M.J. Sillanpää Linkage map of birch, *Betula pendula* Roth, based on microsatellites and amplified fragment length polymorphisms **619**

Yuji Yasukochi, Yutaka Banno, Kohji Yamamoto, Marian R. Goldsmith, and Hiroshi Fujii Integration of molecular and classical linkage groups of the silkworm, *Bombyx mori* ($n = 28$) **626**

© 2005 NRC Canada

A. Patocchi, M. Walser, S. Tartarini, G.A.L. Broggini, F. Gennari, S. Sansavini, and C. Gessler Identification by genome scanning approach (GSA) of a microsatellite tightly associated with the apple scab resistance gene *Vm* **630**

M.A. Rouf Mian, Malay C. Saha, Andrew A. Hopkins, and Zeng-Yu Wang Use of tall fescue EST-SSR markers in phylogenetic analysis of cool-season forage grasses **637**

Georg Hausner and Xi Wang Unusual compact rDNA gene arrangements within some members of the Ascomycota: evidence for molecular co-evolution between ITS1 and ITS2 **648**

Jeremy S.C. Clark, Maria Dani, Nigel G. Halford, and Angela Karp Evidence of diversity within the *SnRK1b* gene family of *Hordeum* species **661**

H. Chaïr, X. Perrier, C. Agbangla, J.L. Marchand, O. Dainou, and J.L. Noyer Use of cpSSRs for the characterisation of yam phylogeny in Benin **674**

Michael A. Canady, Vladimir Meglic, and Roger T. Chetelat A library of *Solanum lycopersicoides* introgression lines in cultivated tomato **685**

Ebenezer A. Ogundiwin, Terry F. Berke, Mark Massoudi, Lowell L. Black, Gordon Huestis, Doil Choi, Sanghyeob Lee, and James P. Prince Construction of 2 intraspecific linkage maps and identification of resistance QTLs for *Phytophthora capsici* root-rot and foliar-blight diseases of pepper (*Capsicum annuum* L.) **698**

Anthony Percival-Smith, Wendy A. Teft, and Jodi Lynn Barta Tarsus determination in *Drosophila melanogaster* **712**

Daolin Fu, Yanmei Xiao, Subbaratnam Muthukrishnan, and George H. Liang In vivo performance of a dual genetic marker, *manA-gfp*, in transgenic bentgrass **722**

N.A. Barkley, M.L. Newman, M.L. Wang, M.W. Hotchkiss, and G.A. Pederson Assessment of the genetic diversity and phylogenetic relationships of a temperate bamboo collection by using transferred EST-SSR markers **731**

Fuzhen Li, Guocheng Hu, Yaping Fu, Huamin Si, Xuemei Bai, and Zongxiu Sun Genetic analysis and high-resolution mapping of a premature senescence gene *Pse(t)* in rice (*Oryza sativa* L.) **738**

Eiko Himi, Ahmed Nisar, and Kazuhiko Noda Colour genes (*R* and *Rc*) for grain and coleoptile upregulate flavonoid biosynthesis genes in wheat **747**

T. Mahmood, M.H. Rahman, G.R. Stringam, J.P. Raney, and A.G. Good Molecular markers for seed colour in *Brassica juncea* **755**

October / Octobre

ARTICLES / ARTICLES

E. Aksyonova, M. Sinyavskaya, N. Danilenko, L. Pershina, C. Nakamura, and O. Davydenko Heteroplasmy and paternally oriented shift of the organellar DNA composition in barley–wheat hybrids during backcrosses with wheat parents **761**

W. Zhou, F.L. Kolb, and D.E. Riechers Identification of proteins induced or upregulated by Fusarium head blight infection in the spikes of hexaploid wheat (*Triticum aestivum*) **770**

H. Raman, K. Zhang, M. Cakir, R. Appels, D.F. Garvin, L.G. Maron, L.V. Kochian, J.S. Moroni, R. Raman, M. Imtiaz, F. Drake-Brockman, I. Waters, P. Martin, T. Sasaki, Y. Yamamoto, H. Matsumoto, D.M. Hebb, E. Delhaize, and P.R. Ryan Molecular characterization and mapping of *ALMT1*, the aluminium-tolerance gene of bread wheat (*Triticum aestivum* L.) **781**

T. Chikmawati, B. Skovmand, and J.P. Gustafson Phylogenetic relationships among *Secale* species revealed by amplified fragment length polymorphisms **792**

M. Li, L. Shen, A. Xu, X. Miao, C. Hou, P. Sun, Y. Zhang, Y. Huang Genetic diversity among silkworm (*Bombyx mori* L., Lep., Bombycidae) germplasms revealed by microsatellites **802**

D.J. Mullan, A. Platteter, N.L. Teakle, R. Appels, T.D. Colmer, J.M. Anderson, and M.G. Francki EST-derived SSR markers from defined regions of the wheat genome to identify *Lophopyrum elongatum* specific loci **811**

S.K. Gupta, A. Charpe, S. Koul, K.V. Prabhu, and Q.M.R Haq Development and validation of molecular markers linked to an *Aegilops umbellulata*–derived leaf-rust-resistance gene, *Lr9*, for marker-assisted selection in bread wheat **823**

J. Macas, A. Koblížková, and P. Neumann Characterization of *Stowaway* MITEs in pea (*Pisum sativum* L.) and identification of their potential master elements **831**

I.J. Nagy, I. Takács, A. Juhász, L. Tamás, and Z. Bedő Identification of a new class of recombinant prolamin genes in wheat **840**

X. Wang, P. Lou, G. Bonnema, B. Yang, H. He, Y. Zhang, and Z. Fang Linkage mapping of a dominant male sterility gene *Ms-cd1* in *Brassica oleracea* **848**

D. Rau, F.J. Maier, R. Papa, A.H.D. Brown, V. Balmas, E. Saba, W. Schaefer, and G. Attene Isolation and characterization of the mating-type locus of the barley pathogen *Pyrenophora teres* and frequencies of mating-type idiomorphs within and among fungal populations collected from barley landraces **855**

© 2005 NRC Canada

C.A. McCartney, D.J. Somers, D.G. Humphreys, O. Lukow, N. Ames, J. Noll, S. Cloutier, and B.D. McCallum Mapping quantitative trait loci controlling agronomic traits in the spring wheat cross RL4452 × 'AC Domain' **870**

R. Barba-Gonzalez, M.S. Ramanna, R.G.F. Visser, and J.M. Van Tuyl Intergenomic recombination in F_1 lily hybrids (*Lilium*) and its significance for genetic variation in the BC_1 progenies as revealed by GISH and FISH **884**

P. Costa-Nunes, T. Ribeiro, M. Delgado, L. Morais-Cecílio, N. Jones, and W. Viegas Molecular and cytological characterization of genomic variability in hexaploid wheat 'Lindström' **895**

L. Yan, J. von Zitzewitz, J.S. Skinner, P.M. Hayes, and J. Dubcovsky Molecular characterization of the duplicated meristem identity genes *HvAP1a* and *HvAP1b* in barley **905**

P.J. Gulick, S. Drouin, Z. Yu, J. Danyluk, G. Poisson, A.F. Monroy, and F. Sarhan Transcriptome comparison of winter and spring wheat responding to low temperature **913**

T.C. Tatum, S. Stepanovic, D.P. Biradar, A.L. Rayburn, and S.S. Korban Variation in nuclear DNA content in *Malus* species and cultivated apples **924**

K. Sakamoto, T. Abe, T. Matsuyama, S. Yoshida, N. Ohmido, K. Fukui, and S. Satoh RAPD markers encoding retrotransposable elements are linked to the male sex in *Cannabis sativa* L. **931**

M. Fernández, M.L. Ruiz, C. Linares, A. Fominaya, and M. Pérez de la Vega 5S rDNA genome regions of *Lens* species **937**

NOTES / NOTES

S. Chadha and T. Gopalakrishna Retrotransposon-microsatellite amplified polymorphism (REMAP) markers for genetic diversity assessment of the rice blast pathogen (*Magnaporthe grisea*) **943**

M.L. Hale, A.M. Borland, and K. Wolff High degree of conservation of nuclear microsatellite loci in the genus *Clusia* **946**

December / Décembre

MINIREVIEW / MINISYNTHÈSE

J. Xu The inheritance of organelle genes and genomes: patterns and mechanisms **951**

ARTICLES / ARTICLES

I.G. Adonina, E.A. Salina, E.G. Pestsova, and M.S. Röder Transferability of wheat microsatellites to diploid *Aegilops* species and determination of chromosomal localizations of microsatellites in the S genome **959**

S.M. Pensel, J.C. Vilardi, and M.I. Remis Mitochondrial DNA variation in the grasshopper *Sinipta dalmani*: application of long-PCR to the development of a homologous probe **971**

C. Phumichai, M. Mori, A. Kobayashi, O. Kamijima, and K. Hosaka Toward the development of highly homozygous diploid potato lines using the self-compatibility controlling *Sli* gene **977**

S.P. Kumpatla and S. Mukhopadhyay Mining and survey of simple sequence repeats in expressed sequence tags of dicotyledonous species **985**

J.M. González, L.M. Muñiz, and N. Jouve Mapping of QTLs for androgenetic response based on a molecular genetic map of × *Triticosecale* Wittmack **999**

P. Oliver, J. Balanyà, M.M. Ramon, A. Picornell, L. Serra, A. Moya, and J.A. Castro Population dynamics of the 2 major mitochondrial DNA haplotypes in experimental populations of *Drosophila subobscura* **1010**

N. Gouin, S.J. Westenberger, S.M. Mahaney, P. Lindley, J.L. VandeBerg, and P.B. Samollow Development, inheritance, and linkage-group assignment of 60 novel microsatellite markers for the gray, short-tailed opossum *Monodelphis domestica* **1019**

P. Ling and X.M. Chen Construction of a hexaploid wheat (*Triticum aestivum* L.) bacterial artificial chromosome library for cloning genes for stripe rust resistance **1028**

R.G. Danzmann, M. Cairney, W.S. Davidson, M.M. Ferguson, K. Gharbi, R. Guyomard, L.-E. Holm, E. Leder, N. Okamoto, A. Ozaki, C.E. Rexroad, III, T. Sakamoto, J.B. Taggart, and R.A. Woram A comparative analysis of the rainbow trout genome with 2 other species of fish (Arctic charr and Atlantic salmon) within the tetraploid derivative Salmonidae family (subfamily: Salmoninae) **1037**

J.C. Kuhl, M.J. Havey, W.J. Martin, F. Cheung, Q. Yuan, L. Landherr, Y. Hu, J. Leebens-Mack, C.D. Town, and K.C. Sink Comparative genomic analyses in *Asparagus* **1052**

E.V. Ananiev, M.A. Chamberlin, J. Klaiber, and S. Svitashev Microsatellite megatracts in the maize (*Zea mays* L.) genome **1061**

A. Schneider, G. Linc, I. Molnár, and M. Molnár-Láng Molecular cytogenetic characterization of *Aegilops biuncialis* and its use for the identification of 5 derived wheat – *Aegilops biuncialis* disomic addition lines **1070**

I. Fuková, P. Nguyen, and F. Marec Codling moth cytogenetics: karyotype, chromosomal location of rDNA, and molecular differentiation of sex chromosomes **1083**

© 2005 NRC Canada

E.C. Howell, S.J. Armstrong, G.C. Barker, G.H. Jones, G.J. King, C.D. Ryder, and M.J. Kearsey Physical organization of the major duplication on *Brassica oleracea* chromosome O6 revealed through fluorescence in situ hybridization with *Arabidopsis* and *Brassica* BAC probes **1093**

B.S. Lee, M.Y. Kim, R.R.-C. Wang, and B.L. Waldron Relationships among 3 *Kochia* species based on PCR-generated molecular sequences and molecular cytogenetics **1104**

NOTES / NOTES

I. Cross and L. Rebordinos 5S rDNA and U2 snRNA are linked in the genome of *Crassostrea angulata* and *Crassostrea gigas* oysters: does the $(CT)_n \cdot (GA)_n$ microsatellite stabilize this novel linkage of large tandem arrays? **1116**

D. Lamoureux, D.G. Peterson, W. Li, J.P. Fellers, and B.S. Gill The efficacy of Cot-based gene enrichment in wheat (*Triticum aestivum* L.) **1120**

© 2005 NRC Canada